

Vacuum Beams AERO-BASIC

Product information

The standard vacuum lifting beams AERO-BASIC are designed from heavy and hard-wearing materials for use in tough/adverse industrial environments without affecting their life expectancy. Guaranteed work and operator safety are ensured by the generously sized vacuum reservoir equipped with an intelligent warning device.

The beams are for lifting smooth and air-tight plates. They are typically used for lifting steel and aluminium sheets but can also lift synthetic plates, glass, plastics, PVC and other air-tight items without problems.

Product variants

Vacuum Beams AERO-BASIC

Blueprint

Technical data

Part code	WLL ton	Model	D mm	L mm	B mm	LG mm mm	H EH/B EH mm mm	EH mm mm	Weight kg	Delivery time
56051031995	0.15	AE 150/4R/2000	170	2,000	1,000	850-1250	92x60	690	90	10
56051030905	0.15	AE 150/6R/2000	120	2,000	1,000	850-1250	92x60	690	95	10
56051032032	0.4	AE 400/4R/2000	210	2,000	1,000	850-1250	92x60	730	95	10
56051031000	0.4	AE 400/6R/2000	170	2,000	1,000	850-1250	92x60	690	100	10
56051031064	0.4	AE 400/8R/2000	170	2,000	1,000	850-1250	92x60	690	110	10
56051031128	0.6	AE 600/4R/2000	270	2,000	1,000	850-1250	92x60	740	95	10
56051032078	0.6	AE 600/6R/2000	210	2,000	1,000	850-1250	92x60	740	110	10
56051031223	0.6	AE 600/8R/2000	210	2,000	1,000	850-1250	92x60	740	125	10
56051031287	0.9	AE 900/6R/2000	270	2,000	1,000	850-1250	92x60	740	115	10
56051031319	0.9	AE 900/8R/2000	270	2,000	1,000	850-1250	92x60	740	130	10
56051031351	1	AE 1000/6R/2000	270	2,000	1,000	860-1260	120x80	860	170	10
56051031383	1	AE 1000/8R/2000	270	2,000	1,000	860-1260	120x80	860	185	10
56051031415	1.5	AE 1500/6R/3000	350	3,000	1,000	860-1260	120x80	870	185	10
56051031431	1.5	AE 1500/8R/3000	350	3,000	1,000	860-1260	120x80	870	205	10
56051031447	1.5	AE 1500/10R/3000	270	3,000	1,000	860-1260	120x80	860	215	10
56051031463	2	AE 2000/8R/3000	350	3,000	1,000	860-1260	120x80	870	205	10